

**ARIZONA GAME AND FISH DEPARTMENT  
HERITAGE DATA MANAGEMENT SYSTEM**

**Plant Abstract**

**Element Code:** PDCAC0J0K0

**Data Sensitivity:** YES

**CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE**



**ME:** *Pediocactus papyracanthus*

**COMMON NAME:** paper-spined cactus, paperspined cactus, grama grass cactus, paper-spine fish-hook cactus, paperspine fishhook cactus, Biznaga-bola de espinas de papel [Spanish]

**SYNONYMS:** *Sclerocactus papyracanthus* (Engelm.) N.P. Taylor, *Toumeyia papyracanthus* Britton and Rose, *Echinocactus papyracanthus* Engelm, *Mammillaria papyracanthus* Engelm.

**FAMILY:** Cactaceae

**AUTHOR, PLACE OF PUBLICATION:** *Pediocactus papyracanthus* (Engelm.) L.D. Benson, Cact. and Succ. Jour. 34(2): 61. 1962. *Mammillaria papyracantha* Engelm., Mem. Amer. Acad. Arts, n.s. 4: 49. 1849.

**TYPE LOCALITY:** USA: New Mexico: between the lower hills near Santa Fe in loose sandy red soil.

**TYPE SPECIMEN:** HT: MO. Fendler, 15 May 1847.

**TAXONOMIC UNIQUENESS:** Currently in Arizona, the species *papyracanthus* is tracked under the genus *Pediocactus*, however, there is some question as to whether this species should be tracked under the genus *Sclerocactus*.

**DESCRIPTION:** Ribbed, solitary or slowly branching, dark green cylindrical stem, 2.5-20.0 cm (1.0-8.0 in.) tall. Spines are dense, mostly obscuring the stem. Radial spines 6-8 per cluster, ashy-white, 3.0 mm long. Tubercles up to 5 mm long. Central spines usually 1-2 (occasionally 3-4), flexible, grooved, flattened, twisted, papery in texture, 1.8-3.8 cm (0.7-1.5 in.) long. Whitish bell-shaped flowers with a brownish central stripe, 1.8-2.5 cm (0.7-1.0 in) long and 1.8-2.6 cm (0.7-1.0 in.) wide. The green fruits are spherical, 1.2-2.0 cm long, turning tan and splitting when mature. Seeds are black, covered with minute bumps, irregularly oval in shape, slightly flattened, and 2.5 mm long.

**AIDS TO IDENTIFICATION:**

**ILLUSTRATIONS:** Line drawing and photo (Benson, 1969: p. 187 (photo), p. 188 (line drawing)).

Line drawing (A Handbook of Rare and Endemic Plants of New Mexico, 1984: p. 121).

Line drawing (Reichenbacher, 1991: Fig. 809)

Color photos (In USDA PLANTS, <http://plants.usda.gov>)

Color photos (In

[http://page.freett.com/xoxoa/images/sclerocactus\\_papyracanthus.htm](http://page.freett.com/xoxoa/images/sclerocactus_papyracanthus.htm))

Color photos (In <http://www.tribecactairt.com/toumeyia.html>)

**TOTAL RANGE:** Colorado Desert from Texas to north of Santa Fe, New Mexico, to eastern Arizona, south into Mexico.

**RANGE WITHIN ARIZONA:** Found in southern Navajo County on the middle LCR (Little Colorado River) drainage and the Mogollon Plateau; possibly in Apache County.

## **SPECIES BIOLOGY AND POPULATION TRENDS**

**GROWTH FORM:** Perennial succulent.

**PHENOLOGY:** Flowers April/May – June.

**BIOLOGY:** Plants usually found in or near tufts or fairy rings of blue grama grass (*Bouteloua gracilis*). Papery spines resemble dried grass leaves. Stems shrink during dry seasons, leaving only the papery spines visible above ground.

**HABITAT:** Grows in open flats in grasslands and pinyon-juniper woodlands, associated with grama grass, where it is seldom seen thanks to its excellent camouflage (its spines resemble dried blue grama leaves).

**ELEVATION:** 5,000 - 7,300 ft. (1525 - 2227 m). In Arizona based on HDMS unpublished records (AGFD, accessed 2003), elevation ranges from 5,060-6,520 ft (1542-1987 m).

**EXPOSURE:** Open

**SUBSTRATE:** Restricted to fine, sandy clay loams and red sandy soils; rarely gypseous.

**PLANT COMMUNITY:** Pinyon-juniper woodland, Great Plains grassland, and Chihuahuan Desert grassland. Dominant associated species include: *Aristida fendleri* (Fendler's three-awn), *Bouteloua eriopoda* (black grama), *Bouteloua gracilis* (blue grama), *Chrysothamnus nauseosus* (rubber rabbitbrush), *Hilaria jamesii* (galleta), *Oryzopsis hymneoides* (Indian ricegrass), *Senecio douglasii* var. *longilobus* (thread leaf groundsel), *Sporobolus airoides* (alkali sacaton), *S. cryptandrus* (sand dropseed), and *Stipa neomexicana* (New Mexico feathergrass). Other species that it may be associated with include: *Artemisia bigelovii*,

*Atriplex canescens*, *Ceratoides lanata*, *Gutierrezia sarothrae*, *Muhlenbergia* sp., *Opuntia polyacantha*, and *Yucca* sp.

**POPULATION TRENDS:** Assumed to have been quite abundant (at least in parts of range), but now sharply reduced due to degradation of rangeland, collection and development. In 1994, Matthews reported “only 6-20 occurrences globally, and is imperiled and vulnerable to extinction throughout its range.” Its highly conspicuous nature makes it a difficult species to locate and study.

### **SPECIES PROTECTION AND CONSERVATION**

**ENDANGERED SPECIES ACT STATUS:** None (USDI, FWS 1996)  
[C2 USDI, FWS 1993]  
[C2 USDI, FWS 1990]  
[C2 USDI, FWS 1985]  
[C2 USDI, FWS 1983]  
[C1 USDI, FWS 1980]  
[PTN-T USDI, FWS 1975]

**STATE LIST STATUS:** Salvage Restricted (ARS, ANPL 1999)  
[Salvage Restricted (ARS, ANPL 1993)]

**OTHER STATUS:** New Mexico: Endangered  
Forest Service Sensitive (USDA FS Region 3 1999)  
[Forest Service Sensitive (USDA FS Region 3 1990)]  
Category 4 (Navajo Endangered Species List, 1994)  
Vulnerable (IUCN, 1998)  
Appendix I (CITIES, 1983)  
[Appendix II (CITIES, 1975)]

**MANAGEMENT FACTORS:** Threats: Cactus and succulent trade. Degradation of habitat due to overgrazing and trampling by livestock; off-road vehicle traffic; urbanization.

**CONSERVATION MEASURES TAKEN:**

**SUGGESTED PROJECTS:** Status surveys needed, along with reproductive biology and ecology studies.

**LAND MANAGEMENT/OWNERSHIP:** Arizona: BLM – Safford Field Office; USFS - Apache-Sitgreaves National Forest; Arizona State Land Department; Private. New Mexico: BLM; DOD; USFS; State of New Mexico; Private.

## **SOURCES OF FURTHER INFORMATION**

### **REFERENCES:**

- Arizona Revised Statutes, Chapter 7. 1993. Arizona Native Plant Law. Appendix A:11.
- Benson, L.A. 1962a. A revision and amplification of *Pediocactus* II. Cactus and Succulent Jour. 35: 17-19,57-61.
- Benson, L.A. 1962b. A revision and amplification of *Pediocactus* IV. Cactus and Succulent Jour. 34: 163-168.
- Benson, L. 1969. The Cacti of Arizona. University of Arizona Press. Tucson, Arizona. Pp. 179-180 (key), 184 (map), 186-188.
- Benson, L. 1982. The Cacti of the United States and Canada. Stanford University Press. Stanford, California. Pp. 768-771.
- Castetter, E.F. and P. Pierce. 1967. Cacti of New Mexico. Cactus and Succulent Jour. 39: 60-61.
- Heil, K., B. Armstrong and D. Schleser. 1981. A review of the genus *Pediocactus*. Cactus and Succulent Jour. 53: 17-39.
- Integrated Taxonomic Information System (ITIS). Retrieved 12/02/2003 from ITIS, <http://www.itis.usda.gov>.
- Kearney, T.H., R.H. Peebles with collaborators. 1951. Arizona flora. Second edition with supplement by J.T. Howell, E. McClintock and collaborators. 1960. University of California Press, Berkeley. P. 575.
- Matthews, R.F. 1994. *Pediocactus papyracanthus*. Web abstract accessed 12/2/2003 from <http://www.fs.fed.us/database/feis/plants/cactus/pedpap/all.html>.
- McDougall, W.B. 1973. Seed Plants of Northern Arizona. The Museum of Northern Arizona. Flagstaff, Arizona. P. 326.
- Missouri Botanical Garden – TROPICOS, Nomenclatural Data Base. *Pediocactus papyracanthus* (Engelm.) L.D. Benson. [http://mobot.mobot.org/cgi-bin/search\\_vast](http://mobot.mobot.org/cgi-bin/search_vast). Accessed: 2 Dec 2003.
- NatureServe. 2003. NatureServe Explorer: An online encyclopedia of life [web application]. Version 1.8. Arlington, Virginia. Available: <http://www.natureserve.org/explorer>. (Accessed: December 2, 2003).
- New Mexico Native Plants Protection Advisory Committee. 1984. A Handbook of Rare and Endemic Plants of New Mexico. Univ. New Mexico Press. Albuquerque, New Mexico. Pp. 120-121.
- Phillips, B.G., J. Mazzoni, L.T. Green and N. Brian. 1982. Status report on *Pediocactus papyracanthus* (Engelm.) L. Benson. Unpublished report for USFWS, Albuquerque, New Mexico. 13pp.
- Reichenbacher, F.W. 1991 Draft. Illustrated manual of rare cacti of the United States and Puerto Rico. Southwestern Field Biologists. Tucson, Arizona. In cooperation with Univ. Ariz., School Renew. Nat. Res. Tucson, Arizona, and USDI, Fish and Wildlife Serv., Southwest Region. Albuquerque, New Mexico.
- USDA, Forest Service Region 3. 1999. Regional Forester's Sensitive Species List.

- USDA, NRCS. 2002. The PLANTS Database, Version 3.5 (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.
- USDI, Fish and Wildlife Service. 1975. Threatened or Endangered Fauna or Flora: Review of Status of Vascular Plants and Determination of "Critical Habitat". Federal Register 40(127): 27824-27924.
- USDI, Fish and Wildlife Service. 1980. Endangered and Threatened Wildlife and Plants: Review of Plant Taxa for Listing as Endangered or Threatened Species; Notice of Review. Federal Register 45(242): 82481-82569.
- USDI, Fish and Wildlife Service. 1983. Endangered and Threatened Wildlife and Plants; Supplement to Review of Plant Taxa for Listing; Proposed Rule. Federal Register 48(229): 53640-53670.
- USDI, Fish and Wildlife Service. 1985. Endangered and Threatened Wildlife and Plants: Review of Plant Taxa for Listing as Endangered or Threatened Species; Notice of Review. Federal Register 50(188): 39526-39527, attachment 1-57.
- USDI, Fish and Wildlife Service. 1990. Endangered and Threatened Wildlife and Plants; Review of Plant Taxa for Listing as Endangered or Threatened Species; Notice of Review. Federal Register 55(35): 6184-6229.
- USDI, Fish and Wildlife Service. 1993. Plant Taxa for Listing as Endangered or Threatened Species; Notice of Review. Federal Register 58(188): 51144-51190.
- USDI, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants: Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species; Notice of Review; Proposed Rule. Federal Register 61(40): 7596-7613.
- USDI, Fish and Wildlife Service, International Affairs. Web information document on *Sclerocactus papyracanthus* (grama grass cactus). Accessed 12/2/2003 from <http://international.fws.gov/animals/sclepapy.html>.

**MAJOR KNOWLEDGEABLE INDIVIDUALS:**

- Steve Brack - P.O. Box 72, Belen, New Mexico 87002. (505) 864-3131.
- Reggie Fletcher - Regional Ecologist, USFS, Albuquerque, New Mexico.
- Paul Knight - Ecoplan, 7500 Jefferson NE, Albuquerque, New Mexico 87109.
- Gary Nabhan - Native Seeds, Tucson, Arizona.
- Barbara Phillips – U.S. Forest Service Zone Botanist, Flagstaff, Arizona.

**ADDITIONAL INFORMATION:**

- Phillips et al. 1982: Recommended for federal Threatened status.

**Revised:** 1989-11-28 (SST)  
1991-04-21 (BKP)  
1995-06-06 (DBI)  
1997-08-20 (SMS)  
2003-12-11 (SMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.